

## **PRODUCT INFORMATION**

NTRK1 **Target** 

**Synonyms** MTC;p140-TrkA;TRK;Trk-A;TRK1;TRKA

Recombinant Human NTRK1 Protein with C-**Description** 

terminal human Fc tag

**Delivery** In Stock **Uniprot ID** P04629 **Expression Host HEK293** 

Tag C-Human Fc Tag

Molecular

Storage & Shipping

**Background** 

NTRK1(Ala33-Phe410) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of 67.4 kDa after removal of the signal peptide. The

**Molecular Weight** apparent molecular mass of NTRK1-hFc is

approximately 70-130 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the neurotrophic tyrosine kinase receptor (NTKR) family. This kinase is a membrane-bound receptor that, upon neurotrophin binding, phosphorylates itself and members of the MAPK pathway. The presence of this kinase leads to cell differentiation and may play a role in specifying sensory neuron subtypes. Mutations in this gene have been associated with

congenital insensitivity to pain, anhidrosis, self-mutilating behavior, cognitive disability and cancer. Alternate transcriptional splice variants of this gene have been found, but only three have been characterized to date. [provided by RefSeq,

> Email: info@dimabio.com Website: www.dimabio.com

Jul 2008]

**Usage** Research use only








Figure 1. Human NTRK1 Protein, hFc Tag on SDS-PAGE under reducing condition.



