

## **PRODUCT INFORMATION**

RNF43 **Target** 

**Synonyms** RNF124;SSPCS;URCC

Recombinant human RNF43 protein with C-**Description** 

terminal human Fc tag

**Delivery** In Stock **Uniprot ID** Q68DV7 **Expression Host HEK293** 

Tag C-Human Fc Tag

Molecular

**Molecular Weight** 

Storage & Shipping

Purity

RNF43(Glu43-Tyr197) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

39.4 kDa after removal of the signal peptide. The apparent molecular mass of RNF43-hFc is

approximately 40-70 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a RING-type E3 ubiquitin ligase and is predicted to contain a transmembrane domain, a protease-associated domain, an ectodomain, and a cytoplasmic RING domain. This protein is thought to negatively regulate Wnt signaling, and expression of this gene results in an increase in ubiquitination of

**Background** frizzled receptors, an alteration in their

subcellular distribution, resulting in reduced surface levels of these receptors. Mutations in this gene have been reported in multiple tumor cells, including colorectal and endometrial cancers. Alternative splicing results in multiple transcript variants encoding different isoforms.

> Email: info@dimabio.com Website: www.dimabio.com

[provided by RefSeq, Mar 2015]

Usage Research use only








Figure 1. Human RNF43 Protein, hFc Tag on SDS-PAGE under reducing condition.



