

PRODUCT INFORMATION

| Common Name | 3C23K, GM102 |
|---------------------------------|--|
| Synonyms | AMHR;MISR2;MISRII;MRII |
| Conjugate | Unconjugated |
| Applications | ELISA; Flow Cyt |
| Recommended Dilutions | ELISA 1:5000-10000; Flow Cyt 1:100 |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Host Species | Humanized |
| lgG type | Human IgG1 – kappa |
| Reactivity | Human |
| Target | AMHR2 |
| Uniprot ID | Q16671 |
| Description | Anti-AMHR2(murlentamab biosimilar) mAb |
| Delivery | In Stock |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| Usage | Research use only |
| | |





Anti-AMHR2 (murlentamab biosimilar) mAb ELISA

0.2 µg of Human AMHR2, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human AMHR2 Protein, hFc Tag (PME100549) can bind Anti-AMHR2 Neutralizing antibody (BME100106) in a linear range of 2.44–156.25 ng/mL. In order to specifically detect BME100106, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 1 μ g/mL Anti-AMHR2 (murlentamab biosimilar) mAb (BME100106) on HEK293 cells transfected with Human AMHR2 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China) Email: info@dimabio.com Website: www.dimabio.com

