

PRODUCT INFORMATION

Clone ID 1F4
Target BTC

Synonyms Betacellulin
Host Species Rabbit

Description Anti-BTC antibody(1F4), Rabbit mAb

Delivery In Stock
Uniprot ID P35070
IgG type Rabbit IgG
Clonality Monoclonal
Reactivity Human
Applications Flow Cyt

Recommended Dilutions

Background

Flow Cyt 1/100

PurificationPurified from cell culture supernatant by affinity

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 %
- 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in

Storage & Shipping Iyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). This gene encodes a member of the epidermal growth factor (EGF) family of proteins. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the secreted growth factor. A secreted form and a

secreted growth factor. A secreted form and a membrane-anchored form of this protein bind to multiple different EGF receptors. This protein promotes pancreatic cell proliferation and insulin secretion, as well as retinal vascular permeability. Mutations in this gene may be associated with

Mutations in this gene may be associated with type 2 diabetes in human patients. [provided by RefSeq, Nov 2015]

Usage Research use only
Conjugate Unconjugated








Figure 1. Flow cytometry analysis with $2\mu g/mL$ Anti-BTC (1F4) mAb on HEK293 cells transfected with human BTC (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

