Anti-C5AR1(izastobart biosimilar) mAb Cat. No. BME100544



PRODUCT INFORMATION

| Common Name | izastobart |
|---------------------------------|--|
| Conjugate | Unconjugated |
| Synonyms | CD88,C5AR, C5R1 |
| Applications | ELISA, Flow Cyt |
| Recommended Dilutions | ELISA 1:5000-10000, Flow Cyt 1:100 |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Host Species | Homo sapiens |
| lgG type | Human IgG1(K214R,L234A,L235E,G237A,A330S,P331S) - Iambda2 |
| Reactivity | Human |
| Target | C5AR1 |
| Uniprot ID | P21730 |
| Description | Anti-C5AR1(izastobart biosimilar) mAb |
| Delivery | In Stock |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature. |
| Background | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| Usage | Research use only |
| | |

Email: info@dimabio.com Website: www.dimabio.com









Figure 1. Flow cytometry analysis with 7.5 μg/mL Anti-C5AR1(izastobart biosimilar) mAb (BME100544) on HEK293 cells transfected with Human C5AR1 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Anti-C5AR1(izastobart biosimilar) mAb ELISA

0.2 µg of Human C5AR1, hFc tagged protein per well



Anti-C5AR1(izastobart biosimilar) mAb (ng/mL)

Figure 2. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human C5AR1 Protein, hFc Tag (PME100830) can bind Anti-C5AR1(izastobart biosimilar) mAb (BME100544) in a linear range of 0.32-8 ng/mL. In order to specifically detect BME100544, mouse anti-human Fab-specific antibody was used as detection antibody.

Email: info@dimabio.com Website: www.dimabio.com





Anti-C5AR1(izastobart biosimilar) mAb ELISA

0.2 µg of Cynomolgus C5AR1, hFc tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Cynomolgus C5AR1 Protein, hFc Tag (PME-C100092) can bind Anti-C5AR1(izastobart biosimilar) mAb (BME100544) in a linear range of 1.6-40 ng/mL. In order to specifically detect BME100544, mouse anti-human Fab-specific antibody was used as detection antibody.

