

PRODUCT INFORMATION

Clone ID **DMC477 Target** CCR6

BN-1; C-C CKR-6; CC-CKR-6; CCR-6; CD196; CKR-**Synonyms**

L3; CKRL3; CMKBR6; DCR2; DRY6; GPR29;

GPRCY4; STRL22

Host Species Rabbit

Description Anti-CCR6 antibody(DMC477); IgG1 Chimeric mAb

Delivery In Stock P51684 **Uniprot ID**

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended **Dilutions**

Background

Flow Cyt 1:100

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the beta chemokine receptor family; which is predicted to be a seven transmembrane protein similar to G

protein-coupled receptors. The gene is

proferir-coupled receptors. The gene is preferentially expressed by immature dendritic cells and memory T cells. The ligand of this receptor is macrophage inflammatory protein 3 alpha (MIP-3 alpha). This receptor has been shown to be important for B-lineage maturation. and antigen-driven B-cell differentiation; and it

may regulate the migration and recruitment of dentritic and T cells during inflammatory and immunological responses. Alternatively spliced transcript variants that encode the same protein have been described for this gene. [provided by

> Email: info@dimabio.com Website: www.dimabio.com

RefSeq; Jul 2008]

Research use only **Usage**









Figure 1. CCR6 protein is highly expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with Anti-CCR6 (DMC477) on Expi293 cells transfected with human CCR6 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and Isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram).



Email: info@dimabio.com Website: www.dimabio.com

