

PRODUCT INFORMATION

Common Name	MEDI-551, Medi-551
Synonyms	CD19;4;VID3;GC12802
Conjugate	Unconjugated
Applications	ELISA; Flow Cyt
Endotoxin	Less than 1.0 EU/ μ g by the LAL method. For <1 EU/mg requirements, please contact us for customization.
Recommended Dilutions	ELISA 1:5000-10000; Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Host Species	Humanized
IgG type	Human IgG1 - kappa
Reactivity	Human
Target	CD19
Uniprot ID	P15391
Description	Anti-CD19 (inebilizumab biosimilar)mAb
Delivery	In Stock
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Usage	Research use only






Figure 1. Flow cytometry analysis with Anti-CD19 mAb 1 μ g/ml (inebilizumab) on HEK293 cells transfected with human CD19 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Anti-CD19 (inebilizumab biosimilar)mAb ELISA

0.2 μ g of Goat anti-Mouse IgG tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD19 Protein, mFc Tag (PME100781) can bind Anti-CD19 (inebilizumab biosimilar) mAb (BME100051) in a linear range of 0.64-16 ng/mL.

