

## **PRODUCT INFORMATION**

Common Name CFZ-533, NVP-CFZ533, OM11-62MF

**Synonyms** CD40;Bp50;CDW40;MGC9013;TNFRSF5;p50

**Applications** ELISA; Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

**Host Species** Homo sapiens

IgG typeIgG1ReactivityHumanTargetCD40Uniprot IDP25942

**Description** Anti-CD40 (iscalimab biosimilar) mAb

**Delivery** In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquet and st

**Storage & Shipping** intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

temperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.


**Usage** Research use only





## Anti-CD40 (iscalimab biosimilar) mAb ELISA

0.2 µg of CD40, mFc-His Tagged protein per well



**Figure 1.** ELISA plate pre-coated by 2  $\mu$ g/ml (100  $\mu$ l/well) Human CD40, mFc-His tagged protein ([getskuurl sku="PME100015"]) can bind Anti-CD40 Neutralizing antibody in a linear range of 0.64-80.0 ng/ml.




Figure 2. HEK293 cell line transfected with irrelevant protein (B) and human CD40 protein (A) were surface stained with anti-CD40 neutralizing antibody 1µg/ml (iscalimab) followed by Alexa 488-conjugated anti-human IgG secondary antibody.

Email: info@dimabio.com Website: www.dimabio.com

