

PRODUCT INFORMATION

Common Name BB-10901, IMGN901, huN901-DM1

Synonyms MSK39;NCAM Conjugate Unconjugated **Applications** ELISA; Flow Cyt

Recommended **Dilutions**

ELISA 1:5000-10000; Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type Human IgG1 - kappa

Reactivity Human **Target CD56 Uniprot ID** P13591

Anti-CD56(lorvotuzumab biosimilar) mAb **Description**

Delivery In Stock

> Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

> > Email: info@dimabio.com Website: www.dimabio.com

DIMA Disclaimer

actively scrutinizing all patent application to ensure no IP infringement.





Anti-CD56 (Iorvotuzumab biosimilar) mAb ELISA

0.2 μg of Human CD56, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD56 Protein, His Tag ([getskuurl sku="PME100194"]) can bind Anti-CD56 Neutralizing antibody (BME100102) in a linear range of 0.51-41.15 ng/mL.

Anti-CD56 (lorvotuzumab biosimilar) mAb ELISA

0.2 µg of Human CD56, hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD56 Protein, hFc Tag (PME100540) can bind Anti-CD56 Neutralizing antibody (BME100102) in a linear range of 1.52–123.46 ng/mL. In order to specifically detect BME100102, mouse anti-human Fab-specific antibody was used as detection antibody.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China) Email: info@dimabio.com Website: www.dimabio.com









Figure 3. Flow cytometry analysis with 1 μ g/mL Anti-CD56 (lorvotuzumab biosimilar) mAb (BME100102) on Expi293 cells transfected with Human CD56 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).



Email: info@dimabio.com Website: www.dimabio.com

