

## PRODUCT INFORMATION

<b>Common Name</b>	BMS 986179
<b>Conjugate</b>	Unconjugated
<b>Synonyms</b>	NT5E, 5'-Nucleotidase, 5'-NT, NT5, NTE
<b>Applications</b>	Flow Cyt
<b>Endotoxin</b>	Less than 1.0 EU/ $\mu$ g by the LAL method. For <1 EU/mg requirements, please contact us for customization.
<b>Recommended Dilutions</b>	Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Homo sapiens
<b>IgG type</b>	Human IgG2(C223S,Q274K,F296Y,F300Y,V309L,G327A,A330S,P331S,T339A,S378A,M397V) - Kappa
<b>Reactivity</b>	Human
<b>Target</b>	CD73
<b>Uniprot ID</b>	P21589
<b>Description</b>	Anti-CD73(BMS 986179) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Sterility</b>	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 $\mu$ m) prior to use.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only




Figure 1. Flow cytometry analysis with 15 $\mu$ g/mL Anti-CD73(BMS 986179) mAb (BME100218) on HEK293 cells transfected.  
 Email: info@dimabio.com Website: www.dimabio.com  
 Phone: +1 978-912-0878



with Human CD73 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

DIMABIO CONFIDENTIAL

