

PRODUCT INFORMATION

Common Name	BMS 986179
Conjugate	Unconjugated
Synonyms	NT5E, 5'-Nucleotidase, 5'-NT, NT5, NTE
Applications	Flow Cyt
Endotoxin	Less than 1.0 EU/μg by the LAL method. For <1 EU/mg requirements, please contact us for customization.
Recommended Dilutions	Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Host Species	Homo sapiens
IgG type	Human IgG2(C223S,Q274K,F296Y,F300Y,V309L,G327A,A330S,P331S,T339A,S378A,M397V) - Kappa
Reactivity	Human
Target	CD73
Uniprot ID	P21589
Description	Anti-CD73(BMS 986179) mAb
Delivery	In Stock
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Usage	Research use only




Figure 1. Flow cytometry analysis with 15μg/mL Anti-CD73(BMS 986179) mAb (BME100218) on HEK293 cells transfected with Human CD73 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



DIMABIO CONFIDENTIAL

