

PRODUCT INFORMATION

Common Name MEDI-9447, MEDI9447

Synonyms NT5E, 5'-Nucleotidase, 5'-NT, NT5, NTE

Applications ELISA, Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type IgG1(K97R,L117F,L118E,P214S)

Reactivity Human
Target CD73
Uniprot ID P21589

Description Anti-CD73(oleclumab biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Anti-CD73(oleclumab biosimilar) mAb ELISA

0.2 μg of Human CD73, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD73 Protein, hFc Tag (PME100829) can bind Anti-CD73(oleclumab biosimilar) mAb (BME100217) in a linear range of 0.13-16 ng/mL. In order to specifically detect BME100217, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 1μ g/mL Anti-CD73(oleclumab biosimilar) mAb (BME100217) on Expi293 cells transfected with Human CD73 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com



/+86-400-006-0995(China)