

PRODUCT INFORMATION

Clone ID	2B3
Target	CXCR6
Synonyms	BONZO; CD186; CDw186; STRL33; TYMSTR
Host Species	Rabbit
Description	Anti-CXCR6 antibody(2B3), IgG1 Chimeric mAb
Delivery	In Stock
Uniprot ID	O00574
IgG type	Rabbit/Human Fc chimeric IgG1
Clonality	Monoclonal
Reactivity	Human
Applications	ELISA
Recommended Dilutions	ELISA 1/5000-10000
Purification	Purified from cell culture supernatant by affinity chromatography
Formulation & Reconstitution	Powder
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). The protein encoded by this gene is a G protein-coupled receptor with seven transmembrane domains that belongs to the CXC chemokine receptor family. This family also includes CXCR1, CXCR2, CXCR3, CXCR4, CXCR5, and CXCR7. This gene, which maps to the chemokine receptor gene cluster, is expressed in several T lymphocyte subsets and bone marrow stromal cells. The encoded protein and its exclusive ligand, chemokine ligand 16 (CCL16), are part of a signalling pathway that regulates T lymphocyte migration to various peripheral tissues (the liver, spleen red pulp, intestine, lungs, and skin) and promotes cell-cell interaction with dendritic cells and fibroblastic reticular cells. CXCR6/CCL16 also controls the localization of resident memory T lymphocytes to different compartments of the lung and maintains airway resident memory T lymphocytes, which are an important first line of defense against respiratory pathogens. The encoded protein serves as an entry coreceptor used by HIV-1 and SIV to enter target cells, in conjunction with CD4. [provided by RefSeq, Aug 2020]
Background	
Usage	Research use only
Conjugate	Unconjugated



Anti-CXCR6 antibody(2B3), IgG1 Chimeric mAb ELISA
0.1µg of Human CXCR6, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 1 µg/ml (100 µl/well) Human CXCR6 Protein, hFc Tag can bind IgG1 Chimeric anti-CXCR6 monoclonal antibody(clone: 2B3) in a linear range of 3.2-80 ng/ml.

