

## **PRODUCT INFORMATION**

**Common Name** LBL-034

Conjugate Unconjugated GPRC5D; CD3 **Synonyms Applications** ELISA, Flow Cyt

Recommended

**Dilutions** 

ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

**Host Species** Humanized

IgG type Human IgG1 - kappa

Reactivity Human

**Target** GPRC5D and CD3 **Uniprot ID** Q9NZD1 and P07766

**Description** Anti-GPRC5D and CD3(LBL-034 biosimilar) BsAb

**Delivery** In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





## Anti-GPRC5D and CD3(LBL-034 biosimilar) BsAb ELISA

0.2 μg of Human GPRC5D, mFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human GPRC5D Protein, mFc Tag (PME100559) can bind Anti-GPRC5D and CD3(LBL-034 biosimilar) BsAb (BME100196) in a linear range of 0.64–80 ng/mL.




Figure 2. Flow cytometry analysis with  $1\mu g/mL$  Anti-GPRC5D and CD3(LBL-034 biosimilar) BsAb (BME100196) on K562-GPRC5D cells (Blue histogram) or isotype control bsAb on K562 cells (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

