Cat. No. DME100091



PRODUCT INFORMATION

Clone ID DM91
Target GPRC5D
Synonyms GPRC5D
Host Species Rabbit

Description Anti-GPRC5D antibody(DM91); Rabbit mAb

Delivery In Stock
Uniprot ID Q9NZD1
IgG type Rabbit IgG
Clonality Monoclonal
Reactivity Human
Applications ELISA FC

Recommended Dilutions

DIMA Disclaimer

ELISA 1:5000-10000; Flow Cyt 1:100

Purification Purified from cell culture supernatant by affinity

chromatography

Formulation & ReconstitutionLyophilized from sterile PBS, pH 7.4. Normally 5
% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

BackgroundThe protein encoded by this gene is a member of the G protein-coupled receptor family; however; the specific function of this gene has not yet been

determined.

Usage Research use only
Conjugate Unconjugated

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

Email: info@dimabio.com Website: www.dimabio.com

actively scrutinizing all patent application to

ensure no IP infringement.








Figure 1. ELISA plate pre-coated by 2 μg/ml (100 μl/well) Human GPRC5D protein, hFc-His tagged protein ([getskuurl sku="PME100066"]) can bind Rabbit anti-GPRC5D monoclonal antibody **(clone: DM91)** in a linear range of 0.256-32 ng/ml.




Figure 2. Flow cytometry analysis of antigen binding of rabbit anti-human GPRC5D mAb (DME100091). (A) DME100091 does not bind to Jurkat cells that do not express GPRC5D. (B) A clear peak shift of DME100091 was seen compared to the control when incubated with GPRC5D-expressing MM.1S cells, indicating strong binding of DME100091 to GPRC5D. Antibodies were incubated at 5 μ g/mL.

Email: info@dimabio.com Website: www.dimabio.com

