

## PRODUCT INFORMATION

<b>Common Name</b>	LBL-034
<b>Conjugate</b>	Unconjugated
<b>Synonyms</b>	GPRC5D
<b>Applications</b>	ELISA, Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000, Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Humanized
<b>IgG type</b>	Human IgG1(L234A,L235A,D265A,P329A,Y349C,E356D,M358L,T366S,L368A,Y407V) - Kappa
<b>Reactivity</b>	Human
<b>Target</b>	GPRC5D
<b>Uniprot ID</b>	Q9NZD1
<b>Description</b>	Anti-GPRC5D(LBL-034 biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only

## Anti-GPRC5D(LBL-034 biosimilar) mAb ELISA

0.2 µg of Human GPRC5D, mFc tag protein per well




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human GPRC5D Protein, mFc Tag (PME100559) can bind Anti-GPRC5D(LBL-034 biosimilar) mAb (BME100193) in a linear range of 0.20-400 ng/mL.

Address: Wuhan Institute of Biotechnology B7, Biolake No.666  
Gaoxin Road, Wuhan, Hubei, China  
Telephone: +1 2409940618(USA)  
/+86-18062749453(China)  
/+86-400-006-0995(China)

Email: info@dimabio.com

Website: www.dimabio.com






Figure 2. Flow cytometry analysis with 1 $\mu$ g/mL Anti-GPRC5D(LBL-034 biosimilar) mAb (BME100193) on HEK293 cells transfected with Human GPRC5D protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

