

PRODUCT INFORMATION

Common Name MABp1

Synonyms IL-1 alpha;IL-1A;IL1;IL1-ALPHA;IL1F1

Applications ELISA; Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type IgG1
Reactivity Human
Target IL1A
Uniprot ID P01583

Description Anti-IL1A(bermekimab biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

Storage & Shipping Intellided for use within a month, and out and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Anti-IL1A (bermekimab biosimilar) mAb ELISA

0.2 µg of Human IL1A, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human IL1A Protein, hFc Tag (PME101053) can bind Anti-IL1A Neutralizing antibody (BME100097) in a linear range of 3.05–740.74 ng/mL. In order to specifically detect BME100097, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis under cell membrane permeable condition with 1 μ g/mL Anti-IL1A (bermekimab biosimilar) mAb (BME100097) on Expi293 cells transfected with Human IL1A protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com