

PRODUCT INFORMATION

Clone ID	DM152
Target	IL6R
Synonyms	CD126; gp80; IL-6R-1; IL-6RA; IL6Q; IL6RA; IL6RQ
Host Species	Rabbit
Description	Anti-IL6R antibody(DM152); Rabbit mAb
Delivery	In Stock
Uniprot ID	P08887
IgG type	Rabbit IgG
Clonality	Monoclonal
Reactivity	Human
Applications	ELISA; Flow Cyt
Recommended Dilutions	ELISA 1:5000-10000; Flow Cyt 1:100
Purification	Purified from cell culture supernatant by affinity chromatography
Endotoxin	Less than 1.0 EU/μg by the LAL method. For <1 EU/mg requirements, please contact us for customization.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Sterility	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 μm) prior to use.
Background	This gene encodes a subunit of the interleukin 6 (IL6) receptor complex. Interleukin 6 is a potent pleiotropic cytokine that regulates cell growth and differentiation and plays an important role in the immune response. The IL6 receptor is a protein complex consisting of this protein and interleukin 6 signal transducer (IL6ST:GP130:IL6-beta); a receptor subunit also shared by many other cytokines. Dysregulated production of IL6 and this receptor are implicated in the pathogenesis of many diseases; such as multiple myeloma; autoimmune diseases and prostate cancer. Alternatively spliced transcript variants encoding distinct isoforms have been reported. A pseudogene of this gene is found on chromosome 9.
Usage	Research use only
Conjugate	Unconjugated
DIMA Disclaimer	All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scr






Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human IL6R protein, His tagged protein PME100109 can bind Rabbit anti-IL6R monoclonal antibody (clone: DM152) in a linear range of 1-100 ng/ml.




Figure 2. Flow cytometry analysis with Anti-IL-6R (DM152) on HEK293 cells transfected with human IL-6R (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).






Figure 3. Flow cytometry analysis of antigen binding of rabbit anti-human IL6R mAb(DME100152).

(A) DME100152 does not bind to CHO-S cells that do not express IL6R.

(B) A clear peak shift of DME100152 was seen compared to the control when incubated with IL6R-expressing THP-1 cells, indicating strong binding of DME100152 to IL6R. Antibodies were incubated at 5 $\mu\text{g}/\text{mL}$.

