

PRODUCT INFORMATION

Common Name LAG-3,CD223 Conjugate Unconjugated

BMS-986016;ONO-4482 **Synonyms**

Applications ELISA; Flow Cyt

Recommended

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species Homo sapiens

IgG type Human IgG4 - Kappa

Reactivity Human **Target** LAG3 **Uniprot ID** P18627

Description Anti-LAG3 (relatlimab biosimilar)mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



Email: info@dimabio.com Website: www.dimabio.com



Anti-LAG3 (relatlimab biosimilar) mAb ELISA

0.1µg of Human LAG3, His Tagged protein per well




Figure 1. ELISA plate pre-coated by 1 μ g/ml (100 μ l/well) Human LAG3, His tagged protein ([getskuurl sku="PME100512"]) can bind Anti-LAG3 Neutralizing antibody (BME100062) in a linear range of 0.6-100ng/ml.




Figure 2. Flow cytometry analysis with Anti-LAG3 mAb 1 μ g/ml (relatlimab) on HEK293 cells transfected with human LAG3 (Blue histogram) or HEK293 transfected with irrelevant protein(Red histogram).

Email: info@dimabio.com Website: www.dimabio.com



/+86-400-006-0995(China)