

**PRODUCT INFORMATION**

<b>Common Name</b>	Etalanetug
<b>Conjugate</b>	Unconjugated
<b>Synonyms</b>	TAU; MSTD; PPND; DDPAC; MAPTL; MTBT1; MTBT2; tau-40; FTDP-17; PPP1R103; Tau-PHF6
<b>Applications</b>	ELISA
<b>Recommended Dilutions</b>	ELISA 1:5000-10000
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Humanized
<b>IgG type</b>	Human IgG1(E356D,M358L) - kappa
<b>Reactivity</b>	Human
<b>Target</b>	MAPT
<b>Uniprot ID</b>	P10636
<b>Description</b>	Anti-MAPT(etalanetug biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only



**Anti-MAPT(etalanetug biosimilar) mAb ELISA**

0.2 µg of Human MAPT, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human MAPT Protein, His Tag (PME101441) can bind Anti-MAPT(etalanetug biosimilar) mAb (BME100498) in a linear range of 0.64-80 ng/mL.

