

PRODUCT INFORMATION

Common Name PF-04518600

TNFRSF4;OX40;CD134;OX40L **Synonyms** receptor;ACT35;TXGP1L

Applications Flow Cyt

Recommended

Flow Cyt 1:100 **Dilutions**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Host Species Homo sapiens

IgG type IgG2 Reactivity Human **Target** OX40 P43489 **Uniprot ID**

Description Anti-OX40(ivuxolimab biosimilar)mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).


Lyophilized proteins are shipped at ambient

temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans **Background**

or animals.

Usage Research use only



Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com



Anti-OX40(ivuxolimab biosimilar)mAb

Cat. No. BME100053



Figure 1. Flow cytometry analysis with Anti-OX40 mAb 1 μ g/ml (ivuxolimab) on Expi293 cells transfected with human OX40 (Blue histogram) or Expi293 transfected with irrelevant protein(Red histogram).

JIMARJIO CONTINUINALIAN.

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

