

PRODUCT INFORMATION

Common Name PNU-159682-anti-ROR1 antibody drug conjugate

Synonyms NTRKR1

Applications ELISA, Flow Cyt

Recommended

ELISA 1:5000-10000, Flow Cyt 1:100 **Dilutions**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions.

Host Species Humanized

IgG type lgG1 Reactivity Human ROR1 **Target Uniprot ID** Q01973

Description Anti-ROR1(NBE 002 biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

Storage & Shipping at -80°C (Avoid repeated freezing and

thawing). Lyophilized antibodies are shipped at

ambient temperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only



Anti-ROR1(NBE 002 biosimilar) mAb ELISA

0.2 µg of Human ROR1, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human ROR1 Protein, His Tag (PME100399) can bind Anti-ROR1(NBE 002 biosimilar) mAb (BME100191) in a linear range of 0.64–16 ng/mL.




Figure 2. ROR1 protein is highly expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with $1\mu g/mL$ Anti-ROR1(NBE 002 biosimilar) mAb (BME100191) on Expi293 cells transfected with Human ROR1 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram).





