

PRODUCT INFORMATION

Common Name NNC6019;NNC-6019;PRX004;PRX-004

Conjugate Unconjugated

Synonyms CTS;TTN;ATTR;CTS1;PALB;TBPA;HEL111;HsT2651

Applications ELISA

Recommended

ELISA 1:5000-10000 **Dilutions**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species N/A IgG type lgG1 Reactivity Human **Target** TTR **Uniprot ID** P02766

Description Anti-TTR(coramitug biosimilar [IgG1) mAb

Delivery In stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

> Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.


Usage Research use only





Anti-TTR(coramitug biosimilar) mAb ELISA

 $0.2~\mu g$ of Human TTR Protein, hFc tagged protein per well



Anti-TTR(coramitug biosimilar) mAb(ng/mL)

Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human TTR Protein, hFc Tag (PME101430) can bind Anti-TTR(coramitug biosimilar) mAb (BME100460) in a linear range of 40–200 ng/mL.In order to specifically detect BME100460, mouse anti-human Fab-specific antibody was used as detection antibody.

Email: info@dimabio.com Website: www.dimabio.com

