

## **PRODUCT INFORMATION**

Clone ID **DM86** B7-2 **Target** 

**Synonyms** CD86; B7-2; B70; CD28LG2; LAB72; MGC34413

**Host Species** Rabbit

Biotinylated Anti-B7-2 antibody(DM86); Rabbit Description

mAb

**Delivery** 2-3 weeks **Uniprot ID** P42081 Rabbit IgG IgG type Clonality Monoclonal Reactivity Human

**Applications** ELISA; Flow Cyt

Recommended

**Background** 

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a type I membrane protein that is a member of the immunoglobulin superfamily. This protein is expressed by antigenpresenting cells; and it is the ligand for two proteins at the cell surface of T cells; CD28

antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of this protein with CD28 antigen is a costimulatory signal for activation of

the T-cell. Binding of this protein with cytotoxic Tlymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response. Alternative splicing results in several transcript variants encoding different

> Email: info@dimabio.com Website: www.dimabio.com

isoforms.

**Usage** Research use only

