

PRODUCT INFORMATION

Clone ID **DM53** B7-H3 **Target**

Synonyms B7-H3; CD276; B7 homolog 3; B7H3

Host Species Rabbit

Biotinylated Anti-B7-H3 antibody(DM53); Rabbit Description

mAb

Delivery 2-3 weeks **Uniprot ID** Q5ZPR3 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human

Applications ELISA; Flow Cyt

Recommended

Background

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene belongs to the immunoglobulin superfamily; and thought to participate in the regulation of T-cell-mediated immune response. Studies should the the transcript of this gene is ubiquitously expressed in normal tissues and solid tumors; the protein is preferentially expressed only in tumor tissues. Additionally; it was observed that the 3' UTR of

this transcript contains a target site for miR29 microRNA; and there is an inverse correlation between the expression of this protein and miR29 levels; suggesting regulation of expression of this gene product by miR29. Alternatively spliced transcript variants encoding different isoforms

have been found for this gene.

Usage Research use only


Conjugate Biotinylated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or

DIMA Disclaimer reverse engineering attempt is prohibited. We are

actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. 1e5 of HEK293 cell line were stained with 100 μ L of 1:1000 diluted Biotinylated Anti-B7-H3 antibody (DM53), Rabbit mAb (Blue histogram) or isotype control (Red histogram) respectively, washed and then stained with Streptavidin APC. The experimental samples were analyzed by flow cytometry.

Email: info@dimabio.com Website: www.dimabio.com

