

PRODUCT INFORMATION

Common Name TBC

Conjugate Biotinylated

ABCD-2;CC chemokine TARC;C-C motif chemokine 17;CCL17;chemokine (C-C motif) ligand

17;MGC138273;SCYA17MGC138271;small

Synonyms

inducible cytokine subfamily A (Cys-Cys);member 17;Small-inducible cytokine A17;T cell-directed CC chemokine;TARC;TARCA-152E5.3;Thymus and

activation-regulated chemokine

Applications N/A

Recommended

N/A Dilutions

Lyophilized from sterile PBS, pH 7.4. Normally 5 Formulation & % - 8% trehalose is added as protectants before Reconstitution lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species N/A IgG type lgG2 Reactivity Human CCL17 **Target Uniprot ID** Q92583

Biotinylated Anti-CCL17(denrakibart biosimilar) Description

mAb

6-8 weeks **Delivery**

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

Research grade biosimilar. Not for use in **Background**

therapeutic or diagnostic procedures for humans

Email: info@dimabio.com Website: www.dimabio.com

or animals.

Usage Research use only

