


**PRODUCT INFORMATION**

<b>Common Name</b>	INX 021;INX021;INX-021;SAR-441344;SAR441344;SAR 441344
<b>Conjugate</b>	Biotinylated
<b>Synonyms</b>	IGM;IMD3;TRAP;gp39;CD154;CD40L;HIGM1;T-BAM;TNFSF5;hCD40L
<b>Applications</b>	ELISA
<b>Endotoxin</b>	Less than 1.0 EU/μg by the LAL method. For <1 EU/mg requirements, please contact us for customization.
<b>Recommended Dilutions</b>	ELISA 1:5000-10000
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	N/A
<b>IgG type</b>	IgG1
<b>Reactivity</b>	Human
<b>Target</b>	CD40 Ligand
<b>Uniprot ID</b>	P29965
<b>Description</b>	Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Sterility</b>	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 μm) prior to use.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only



## Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) ELISA

0.2  $\mu$ g of Human CD40 Ligand, hFc tagged protein per well



**Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb (ng/mL)**

Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CD40 Ligand Protein, hFc tag (PME100192) can bind Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb (BME100516B) in a linear range of 80-400 ng/mL .

