Cat. No. DMC100425B

**Synonyms** 



## **PRODUCT INFORMATION**

Clone ID DMC425 **Target** CD63

CD63 antigen; Granulophysin; LAMP-3; Limp1; Melanoma-

associated antigen ME491;OMA81H;Ocular melanomaassociated antigen; Tetraspanin-30; Tspan-30

**Host Species** 

Description Anti-CD63 antibody(DMC425); IgG1 Chimeric mAb

**Delivery** 2-3 weeks P08962 **Uniprot ID** 

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human Flow Cyt **Applications** 

Recommended

Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of Formulation & Reconstitution

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and Storage & Shipping

thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a member of the transmembrane 4 superfamily; also known as the tetraspanin family. Most of these members are cell-surface tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development; activation; growth and motility. The encoded protein is a cell surface glycoprotein that is known to complex with integrins. It may function as a blood platelet activation marker. Deficiency of this protein is associated with Hermansky-Pudlak syndrome. Also this gene has been associated with tumor progression. Alternative splicing results in multiple transcript variants encoding different protein isoforms.

**Background** 

Email: info@dimabio.com Website: www.dimabio.com

protein isoforms.

Usage Research use only

