

PRODUCT INFORMATION

Clone ID 163D11 GPC3 **Target**

Synonyms DGSX;GTR2-2;MXR7;OCI-5;SDYS;SGB;SGBS;SGBS1

Host Species

Biotinylated Anti-GPC3 antibody(163D11), IgG1 Description

Chimeric mAb

Delivery 2-3 weeks **Uniprot ID** P51654

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** IHC

Recommended

Storage & Shipping

Background

IHC 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before Reconstitution lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

Cell surface heparan sulfate proteoglycans are composed of a membrane-associated protein core substituted with a variable number of heparan sulfate chains. Members of the glypican-related integral membrane proteoglycan family (GRIPS)

contain a core protein anchored to the cytoplasmic membrane via a glycosyl phosphatidylinositol linkage. These proteins may

play a role in the control of cell division and growth regulation. The protein encoded by this gene can bind to and inhibit the dipeptidyl peptidase activity of CD26, and it can induce

apoptosis in certain cell types. Deletion mutations in this gene are associated with Simpson-Golabi-Behmel syndrome, also known as Simpson dysmorphia syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2009] References Fu Ying, Urban Daniel J, Nani Roger R et al. Glypican-3-Specific Antibody Drug Conjugates Targeting Hepatocellular Carcinoma. [J] . Hepatology, 2019, 70, 563, 576, 78-pag Vi Earl Log.

70: 563-576. Zhang Yi-Fan, Ho

Mitchell, Humanization of high-affinity antibodies

Email: info@dimabio.com Website: www.dimabio.com

targeting glypican-3 in hepatocellular carcinoma.[J] .Sci Rep, 2016, 6: 33878.

Usage Research use only

Conjugate **Biotinylated**

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)



Biotinylated Anti-GPC3 antibody(163D11), IgG1 Chimeric mAb

Cat. No. DMC100908B



DIMA Disclaimer

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to JIMARIO COLIFINITARIO ensure no IP infringement.

> Email: info@dimabio.com Website: www.dimabio.com



