Cat. No. DMC100282B



PRODUCT INFORMATION

Clone ID **DMC282 Target** IL11RA

IL-11 R alpha; IL-11 RA; IL11RA; Interleukin-11 **Synonyms** receptor subunit alpha; IL-11 receptor subunit alpha;IL-11R subunit alpha;IL-11R-alpha

Host Species

Anti-IL11RA antibody(DMC282); IgG1 Chimeric **Description**

mAb

2-3 weeks Delivery Q14626 **Uniprot ID**

Rabbit/Human Fc chimeric IgG1 IgG type

Monoclonal Clonality Reactivity Human **Applications** Flow Cyt

Recommended

Background

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation & lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

Interleukin 11 is a stromal cell-derived cytokine that belongs to a family of pleiotropic and redundant cytokines that use the gp130

transducing subunit in their high affinity receptors. This gene encodes the IL-11 receptor; which is a member of the hematopoietic cytokine receptor family. This particular receptor is very similar to ciliary neurotrophic factor; since both

contain an extracellular region with a 2-domain structure composed of an immunoglobulin-like domain and a cytokine receptor-like domain. Multiple alternatively spliced transcript variants

> Email: info@dimabio.com Website: www.dimabio.com

have been found for this gene.

Usage Research use only

