


**PRODUCT INFORMATION**

<b>Clone ID</b>	DM87
<b>Target</b>	PSCA
<b>Synonyms</b>	PSCA;UNQ206;PRO232
<b>Host Species</b>	Rabbit
<b>Description</b>	Biotinylated Anti-PSCA antibody(DM87); Rabbit mAb
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	O43653
<b>IgG type</b>	Rabbit IgG
<b>Clonality</b>	Monoclonal
<b>Reactivity</b>	Human
<b>Applications</b>	ELISA; Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000; Flow Cyt 1:100
<b>Purification</b>	Purified from cell culture supernatant by affinity chromatography
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	This gene encodes a glycosylphosphatidylinositol-anchored cell membrane glycoprotein. In addition to being highly expressed in the prostate it is also expressed in the bladder; placenta; colon; kidney; and stomach. This gene is up-regulated in a large proportion of prostate cancers and is also detected in cancers of the bladder and pancreas. This gene includes a polymorphism that results in an upstream start codon in some individuals; this polymorphism is thought to be associated with a risk for certain gastric and bladder cancers. Alternative splicing results in multiple transcript variants.
<b>Usage</b>	Research use only
<b>Conjugate</b>	Biotinylated
<b>DIMA Disclaimer</b>	All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scr





**Figure 1.** 1e5 of HEK293 cell line transfected with human PSCA were stained with 100  $\mu$ L of 1:100 diluted Biotinylated Anti-PSCA antibody (**DM87**), Rabbit mAb (Red histogram) or isotype control (Blue histogram) respectively, washed and then stained with Streptavidin APC. The experimental samples were analyzed by flow cytometry.

