

**PRODUCT INFORMATION**

<b>Target</b>	CB1
<b>Synonyms</b>	CANN6, CB-R, CB1, CB1A, CB1K5, CB1R, CNR
<b>Description</b>	Biotinylated Recombinant human CB1 (1-116) Protein with C-terminal Human Fc Avi tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P21554
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-Human Fc Avi tag
<b>Molecular Characterization</b>	CB1(Met1-Gln116) hFc(Glu99-Ala330) Avi tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 41.1 kDa after removal of the signal peptide.
<b>Purity</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Sterility</b>	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
<b>Background</b>	This gene encodes one of two cannabinoid receptors. The cannabinoids, principally delta-9-tetrahydrocannabinol and synthetic analogs, are psychoactive ingredients of marijuana. The cannabinoid receptors are members of the guanine-nucleotide-binding protein (G-protein) coupled receptor family, which inhibit adenylate cyclase activity in a dose-dependent, stereoselective and pertussis toxin-sensitive manner. The two receptors have been found to be involved in the cannabinoid-induced CNS effects (including alterations in mood and cognition) experienced by users of marijuana. Multiple transcript variants encoding two different protein isoforms have been described for this gene.
<b>Usage</b>	Research use only
<b>Conjugate</b>	Biotinylated







Figure 1. Biotinylated Human CB1 (1-116) Protein, hFc Tag on SDS-PAGE under reducing condition.

### Biotinylated Human CB1 (1-116), hFc Tagged Protein ELISA

0.2  $\mu$ g of Anti-CB1 antibody(DM144), Rabbit mAb per well



### Biotinylated Human CB1 (1-116), hFc Tagged Protein (ng/mL)

Figure 2. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Anti-CB1 antibody(DM144), Rabbit mAb (DME100144) can bind Biotinylated Human CB1 (1-116) Protein, hFc Tag (PME100507B) in a linear range of 3.2-16 ng/mL. In order to specifically detect PME100507B, HRP Conjugated Streptavidin was used as detection antibody.

