

PRODUCT INFORMATION

Target	ST2
Synonyms	T1, ST2, DER4, ST2L, ST2V, FIT-1, IL33R
Description	Recombinant Cynomolgus ST2 protein with C-terminal 10×His tag
Delivery	In Stock
Uniprot ID	A0A2K5UDB8
Expression Host	HEK293
Tag	C-10×His tag
Molecular Characterization	ST2(Ala18-Cys331) 10×His tag
Molecular Weight	The protein has a predicted molecular mass of 37.0 kDa after removal of the signal peptide.
Purity	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Sterility	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
Background	The protein encoded by this gene is a member of the interleukin 1 receptor family. Studies of the similar gene in mouse suggested that this receptor can be induced by proinflammatory stimuli, and may be involved in the function of helper T cells. This gene, interleukin 1 receptor, type I (IL1R1), interleukin 1 receptor, type II (IL1R2) and interleukin 1 receptor-like 2 (IL1RL2) form a cytokine receptor gene cluster in a region mapped to chromosome 2q12. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jul 2008]
Usage	Research use only





Figure 1. Cynomolgus ST2 Protein, His Tag on SDS-PAGE under reducing condition.

