

PRODUCT INFORMATION

ACVR2B **Target**

Synonyms HTX4; ACTRIIB; ActR-IIB

Recombinant human ACVR2B(19-137) Protein **Description**

with C-terminal 10×His tag

Delivery In Stock **Uniprot ID** Q13705 **Expression Host HEK293**

Tag C-10×His tag

Molecular

Purity

ACVR2B(Ser19-Thr137) 10×His tag Characterization

The protein has a predicted molecular mass of **Molecular Weight** 15.0 kDa after removal of the signal peptide.

The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation &

lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

Activins are dimeric growth and differentiation factors which belong to the transforming growth factor-beta (TGF-beta) superfamily of structurally related signaling proteins. Activins signal through a heteromeric complex of receptor serine kinases which include at least two type I (I and IB) and two type II (II and IIB) receptors. These receptors are all transmembrane proteins, composed of a ligand-binding extracellular domain with cysteine-

rich region, a transmembrane domain, and a

cytoplasmic domain with predicted **Background**


serine/threonine specificity. Type I receptors are essential for signaling; and type II receptors are required for binding ligands and for expression of type I receptors. Type I and II receptors form a stable complex after ligand binding, resulting in phosphorylation of type I receptors by type II receptors. Type II receptors are considered to be constitutively active kinases. This gene encodes activin A type IIB receptor, which displays a 3- to

4-fold higher affinity for the ligand than activin A type II receptor. [provided by RefSeq, Jul 2008]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Unconjugated








Figure 1. Human ACVR2B(19-137) Protein, His Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

