

PRODUCT INFORMATION

Tag	N-His, C-Single Strep Tag
Expression Host	E.coli
Target	CB2
Description	Human CB2 cell-free full length protein-Detergent
Synonyms	CB-2; CNR2; CX5
Uniprot ID	P34972
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	Neuroactive ligand-receptor interaction
Molecular Weight	The human CB2 cell-free full length protein-Detergent has a MW of 41.9kDa
Delivery	1 week
Formulation & Reconstitution	Liquid, 50mM HEPES, 150mM NaCl, 0.06M, 0.012%CHS, 1mM EDTA, pH7.5
Sterility	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
Storage&Shipping	Store at -80°C, Ship on dry ice.
Purity	>85%
Background	The cannabinoid delta-9-tetrahydrocannabinol is the principal psychoactive ingredient of marijuana. The proteins encoded by this gene and the cannabinoid receptor 1 (brain) (CNR1) gene have the characteristics of a guanine nucleotide-binding protein (G-protein)-coupled receptor for cannabinoids. They inhibit adenylate cyclase activity in a dose-dependent, stereoselective, and pertussis toxin-sensitive manner. These proteins have been found to be involved in the cannabinoid-induced CNS effects (including alterations in mood and cognition) experienced by users of marijuana. The cannabinoid receptors are members of family 1 of the G-protein-coupled receptors.
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human CB2 cell-free-Detergent,N-His, C-Single Strep Tag on SDS-PAGE.

DIMABIO CONFIDENTIAL

