

PRODUCT INFORMATION

| | |
|------------------------------|--|
| Target | CD109 |
| Synonyms | CPAMD7;p180;r150 |
| Description | Recombinant Human CD109 Protein with C-terminal 6×His tag |
| Delivery | In Stock |
| Uniprot ID | Q6YHK3 |
| Expression Host | HEK293 |
| Tag | C-6×His Tag |
| Molecular Characterization | CD109(Val22-Ala1420) 6×His tag |
| Molecular Weight | The protein has a predicted molecular mass of 157.4 kDa after removal of the signal peptide. The apparent molecular mass of CD109-His is approximately 130-250 kDa due to glycosylation. |
| Purity | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | This gene encodes a glycosyl phosphatidylinositol (GPI)-linked glycoprotein that localizes to the surface of platelets, activated T-cells, and endothelial cells. The protein binds to and negatively regulates signalling by transforming growth factor beta (TGF-beta). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Apr 2014] |
| Usage | Research use only |
| Conjugate | Unconjugated |






Figure 1.Human CD109 Protein, His Tag on SDS-PAGE under reducing condition.

