Description



PRODUCT INFORMATION

CD155 **Target**

PVR;FLJ25946;PVS;CD155;TAGE4;HVED;NECL5 **Synonyms** Recombinant human CD155 protein with C-

terminal mouse Fc and 6×His tag

Delivery In Stock **Uniprot ID** P15151 **Expression Host HEK293**

Tag C-Mouse Fc and 6×His Tag

Molecular CD155(Trp21-Asn343) mFc(Pro99-Lys330) 6×His Characterization

Molecular Weight

62.2 kDa after removal of the signal peptide. The apparent molecular mass of CD155-mFc-His is approximately 95-130 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

The protein has a predicted molecular mass of

Purity

staining.

Formulation & Reconstitution

Background

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Lyophilized from sterile PBS, pH 7.4. Normally 5 %

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a transmembrane glycoprotein belonging to the immunoglobulin superfamily. The external domain mediates cell attachment to the

extracellular matrix molecule vitronectin, while its intracellular domain interacts with the dynein light chain Tctex-1/DYNLT1. The gene is specific to the primate lineage, and serves as a cellular

receptor for poliovirus in the first step of poliovirus replication. Multiple transcript variants encoding different isoforms have been found for

> Email: info@dimabio.com Website: www.dimabio.com

this gene.

Research use only Usage

Conjugate Unconjugated



/+86-400-006-0995(China)






Figure 1. Human CD155 Protein, mFc-His Tag on SDS-PAGE under reducing condition.

Human CD155, mFc-His Tagged protein ELISA

0.2 µg of TIGIT, hFc Tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human CD155, mFc-His tagged protein (PME100027) can bind Human TIGIT, hFc tagged protein PME100107 in a linear range of 1.95-125 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com





Human CD155, mFc-His tagged protein ELISA

 $0.1 \mu g$ of Human CD155, mFc-His tagged protein per well




Figure 3. ELISA plate pre-coated by 1 μ g/mL (100 μ L/well) Human CD155 Protein, mFc-His Tag(PME100027) can bind Anti-CD155 Rabbit mAb in a linear range of 3.2-80 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

