

PRODUCT INFORMATION

Target	CD200R1
Synonyms	CD200R;HCRTR2;MOX2R;OX2R
Description	Recombinant Human CD200R1 Protein with C-terminal 6×His tag
Delivery	In Stock
Uniprot ID	Q8TD46
Expression Host	HEK293
Tag	C-6×His Tag
Molecular Characterization	CD200R1(Met29-Leu243) 6×His tag
Molecular Weight	The protein has a predicted molecular mass of 25.0 kDa after removal of the signal peptide. The apparent molecular mass of CD200R1-His is approximately 35-70 kDa due to glycosylation.
Purity	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Sterility	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
Background	This gene encodes a receptor for the OX-2 membrane glycoprotein. Both the receptor and substrate are cell surface glycoproteins containing two immunoglobulin-like domains. This receptor is restricted to the surfaces of myeloid lineage cells and the receptor-substrate interaction may function as a myeloid downregulatory signal. Mouse studies of a related gene suggest that this interaction may control myeloid function in a tissue-specific manner. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jul 2008]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human CD200R1 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

