Cat. No. FLP100030

Delivery

Background



PRODUCT INFORMATION

Target CD63

Synonyms LAMP-3; ME491; MLA1; OMA81H; TSPAN30

DescriptionHuman CD63 full length protein-synthetic

nanodisc In Stock

Uniprot ID P08962 Expression Host HEK293

Protein Families Druggable Genome, Transmembrane

Protein Pathways Lysosome

Molecular Weight The human full length CD63 protein has a MW of

25.6 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

for specific instructions. Do not use solvents with pH lower than 6.5 in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

The protein is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. The encoded protein is a cell surface glycoprotein that is known to complex with


glycoprotein that is known to complex with integrins. It may function as a blood platelet activation marker. Deficiency of this protein is associated with Hermansky-Pudlak syndrome. Also this gene has been associated with tumor progression. Alternative splicing results in

Email: info@dimabio.com Website: www.dimabio.com

multiple transcript variants encoding different

protein isoforms.

Usage Research use only







ELISA assay to evaluate CD63-Nanodisc 0.2µg Human CD63-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag CD63-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-CD63 monoclonal antibody (DMC100425) solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-CD63 monoclonal antibody binding with CD63-Nanodisc is 94.22ng/ml.

Email: info@dimabio.com Website: www.dimabio.com




Figure 2. Human CD63-Nanodisc, Flag Tag on SDS-PAGE

