

PRODUCT INFORMATION

Target	ENPP3
Synonyms	B10; NPP3; PDNP3; CD203c; PD-IBETA
Description	Recombinant human ENPP3(94-159) Protein with N-terminal human Fc tag
Delivery	In Stock
Uniprot ID	O14638
Expression Host	HEK293
Tag	N-Human Fc tag
Molecular Characterization	hFc(Glu99-Ala330) ENPP3(Arg94-Pro159)
Molecular Weight	The protein has a predicted molecular mass of 33.7 kDa after removal of the signal peptide. The apparent molecular mass of hFc-ENPP3(94-159) is approximately 35-55 kDa due to glycosylation.
Purity	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein encoded by this gene belongs to a series of ectoenzymes that are involved in hydrolysis of extracellular nucleotides. These ectoenzymes possess ATPase and ATP pyrophosphatase activities and are type II transmembrane proteins. Expression of the related rat mRNA has been found in a subset of immature glial cells and in the alimentary tract. The corresponding rat protein has been detected in the pancreas, small intestine, colon, and liver. The human mRNA is expressed in glioma cells, prostate, and uterus. Expression of the human protein has been detected in uterus, basophils, and mast cells. Two transcript variants, one protein coding and the other non-protein coding, have been found for this gene. [provided by RefSeq, Oct 2015]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human ENPP3(94-159) Protein, hFc Tag on SDS-PAGE under reducing condition.

