

PRODUCT INFORMATION

| | |
|---|--|
| Target | FSHB |
| Synonyms | HH24 |
| Description | Recombinant human FSHB Protein with C-terminal human Fc tag |
| Delivery | In Stock |
| Uniprot ID | P01225 |
| Expression Host | HEK293 |
| Tag | C-Human Fc tag |
| Molecular Characterization | FSHB(Asn19-Glu129) hFc(Glu99-Ala330) |
| Molecular Weight | The protein has a predicted molecular mass of 38.6 kDa after removal of the signal peptide. The apparent molecular mass of FSHB-hFc is approximately 35-55 kDa due to glycosylation. |
| Purity | The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining. |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage&Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | The pituitary glycoprotein hormone family includes follicle-stimulating hormone, luteinizing hormone, chorionic gonadotropin, and thyroid-stimulating hormone. All of these glycoproteins consist of an identical alpha subunit and a hormone-specific beta subunit. This gene encodes the beta subunit of follicle-stimulating hormone. In conjunction with luteinizing hormone, follicle-stimulating hormone induces egg and sperm production. Alternative splicing results in two transcript variants encoding the same protein. [provided by RefSeq, Jul 2008] |
| Usage | Research use only |
| Conjugate | Unconjugated |






Figure 1. Human FSHB Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

