

## **PRODUCT INFORMATION**

**Target GITR** 

**Synonyms** AITR;GITR;TNFRSF18;CD357

Recombinant human GITR protein with C-terminal **Description** 

mouse Fc and 6×His tag

**Delivery** In Stock **Uniprot ID** Q9Y5U5 **Expression Host HEK293** 

Tag C-Mouse Fc and 6×His Tag

Molecular

**Purity** 

GITR(Gln26-Pro162) mFc(Pro99-Lys330) 6×His Characterization

The protein has a predicted molecular mass of **Molecular Weight** 50-52 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation & Reconstitution

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the TNF-receptor superfamily. The encoded receptor has been shown to have increased expression upon T-cell activation, and it is thought to play a key role in

**Background** 

dominant immunological self-tolerance maintained by CD25()CD4() regulatory T cells. Knockout studies in mice also suggest the role of this receptor is in the regulation of CD3-driven T-cell activation and programmed cell death. Three alternatively spliced transcript variants of this alternatively spliced transcript variants of this gene encoding distinct isoforms have been

> Email: info@dimabio.com Website: www.dimabio.com

reported.

Usage Research use only









Figure 1. Human GITR Protein, mFc-His Tag on SDS-PAGE under reducing condition.



**Figure 2.** HEK293 cell line transfected with irrelevant protein **(B)** and human GITR Ligand **(A)** were surface stained with Human GITR, mFc-His tagged protein (PME100019) 1μg/ml followed by Alexa 488-conjugated anti-mouse IgG secondary antibody.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

