

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	GPR143
Synonyms	NYS6; OA1
Description	Human GPR143-Strep full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	P51810
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	N/A
Molecular Weight	The human full length GPR143-Strep protein has a MW of 43.9 kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Formulation & Reconstitution	A protein that binds to heterotrimeric G proteins and is targeted to melanosomes in pigment cells. This protein is thought to be involved in intracellular signal transduction mechanisms. Mutations in this gene cause ocular albinism type 1, also referred to as Nettleship-Falls type ocular albinism, a severe visual disorder. A related pseudogene has been identified on chromosome Y.
Storage&Shipping	
Background	
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate GPR143-Strep-Nanodisc
 0.2 μ g Human GPR143-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag GPR143-Strep-Nanodisc (0.2 μ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPR143-Strep-nanodisc is 1.714ng/ml.




Figure 2. Human GPR143-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

