

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	GPRC6A
Synonyms	bA86F4.3; GPCR
Description	Human GPRC6A-Strep full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	Q5T6X5
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	N/A
Molecular Weight	The human full length GPRC6A-Strep protein has a MW of 104.8 kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Formulation & Reconstitution	
Storage&Shipping	
Background	Members of family C of the G protein-coupled receptor (GPCR) superfamily, such as GPRC6A, are characterized by an evolutionarily conserved amino acid-sensing motif linked to an intramembranous 7-transmembrane loop region. Several members of GPCR family C, including GPRC6A, also have a long N-terminal domain.
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate GPRC6A-Strep-Nanodisc
0.2 μ g Human GPRC6A-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag GPRC6A-Strep-Nanodisc (0.2 μ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPRC6A-Strep-nanodisc is 5.186ng/ml.



Figure 2. Human GPRC6A-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

