

**PRODUCT INFORMATION**

<b>Target</b>	GPR183
<b>Synonyms</b>	EBI2, Epstein-Barr virus-induced G-protein coupled receptor 2, EBI2R
<b>Description</b>	Recombinant human GPR183 Protein with C-terminal human Fc tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P32249
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-Human Fc tag
<b>Molecular Characterization</b>	GPR183(Met1-Arg31) hFc(Glu99-Ala330)
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 29.5 kDa after removal of the signal peptide.
<b>Purity</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	GPR183 (EBI2 / G protein-coupled receptor 183) is a G-protein coupled receptor (GPCR) primarily expressed in B cells, T cells, and dendritic cells. It couples to Gi proteins, inhibiting adenylyl cyclase and modulating intracellular cAMP. GPR183 regulates immune cell migration, positioning within lymphoid tissues, and adaptive immune responses. Dysregulation is implicated in autoimmune diseases, lymphoid malignancies, and chronic inflammation, making GPR183 a potential therapeutic target in immunology and oncology.
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated






Figure 1. Human GPR183 Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

