

**PRODUCT INFORMATION**

<b>Target</b>	IL2RG
<b>Synonyms</b>	P64; CIDX; IMD4; CD132; SCIDX; IL-2RG; SCIDX1
<b>Description</b>	Recombinant human IL2RG Protein with C-terminal Strep tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P31785
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-Strep tag
<b>Molecular Characterization</b>	IL2RG(Leu23-Asn254) Strep Tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 30.4 kDa after removal of the signal peptide.
<b>Purity</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Sterility</b>	Products are supplied non-sterile. For cell culture applications, dilute in appropriate medium and sterile-filter (0.22 µm) prior to use.
<b>Background</b>	The protein encoded by this gene is an important signaling component of many interleukin receptors, including those of interleukin -2, -4, -7 and -21, and is thus referred to as the common gamma chain. Mutations in this gene cause X-linked severe combined immunodeficiency (XSCID), as well as X-linked combined immunodeficiency (XCID), a less severe immunodeficiency disorder. [provided by RefSeq, Mar 2010]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated





Figure 1. Human IL2RG Protein, Strep Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

