

## **PRODUCT INFORMATION**

C-Flag&Strep Tag Tag

**Target** LGR4

**Synonyms** BNMD17; GPR48

Human LGR4-Strep full length protein-synthetic **Description** 

nanodisc **Delivery** 6~8weeks **Uniprot ID** Q9BXB1

**Protein Families** Druggable Genome, GPCR, Transmembrane

**HEK293** 

**Protein Pathways** N/A

**Expression Host** 

**Background** 

The human full length LGR4-Strep protein has a **Molecular Weight** 

MW of 104.5 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping Lyophilized proteins are shipped at ambient

temperature.

Receptor for R-spondins that potentiates the canonical Wnt signaling pathway and is involved in the formation of various organs. Upon binding to R-spondins (RSPO1, RSPO2, RSPO3 or RSPO4) associates with phosphorylated LRP6 and frizzled receptors that are activated by extracellular line. receptors, triggering the canonical Wnt signaling pathway to increase expression of target genes. In contrast to classical G-protein coupled

receptors, does not activate heterotrimeric G-proteins to transduce the signal. Its function as activator of the Wnt signaling pathway is required for the development of various organs, including liver, kidney, intestine, bone, reproductive tract

and eye.

Usage Research use only Conjugate Unconjugated



