## **PRODUCT INFORMATION**

M-CSF **Target** 

**Synonyms** CSF-1;MCSF

Recombinant Human M-CSF with C-terminal **Description** 

6×His tag

**Delivery** In Stock **Uniprot ID** P09603 **Expression Host HEK293** 

Tag C-6×His Tag

Molecular

**Background** 

M-CSF(Glu33-Arg255) 6×His tag Characterization

The protein has a predicted molecular mass of 26

kDa after removal of the signal peptide.The apparent molecular mass of M-CSF-His is **Molecular Weight** 

approximately 25-55 kDa due to glycosylation. The purity of the protein is greater than 95% as

determined by SDS-PAGE and Coomassie blue Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation &

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a cytokine that controls the production, differentiation, and function of macrophages. The active form of the protein is found extracellularly as a disulfidelinked homodimer, and is thought to be produced

by proteolytic cleavage of membrane-bound precursors. The encoded protein may be involved in development of the placenta. Alternate splicing results in multiple transcript variants. [provided

by RefSeq, Sep 2011]

Usage Research use only

Conjugate Unconjugated

Figure 1. Human M-CSF Protein, His Tag on SDS-PAGE under reducing condition.

Figure 2. ELISA plate pre-coated by 2 μg/mL (100 μL/well) Human M-CSF Protein, His Tag ( PME100569) can bind Anti-M-CSF Neutralizing antibody BME100104 in a linear range of 2.44-156.25 ng/mL.

> Email: info@dimabio.com Website: www.dimabio.com

Figure 3. Flow cytometry analysis with 1  $\mu$ g/mL Human M-CSF Protein, His tag (PME100569) on HEK293 cells transfected with human CSF1R (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)