

**PRODUCT INFORMATION**

<b>Target</b>	MUC17
<b>Synonyms</b>	MUC3, MUC-3, MUC-17
<b>Description</b>	Recombinant human MUC17(4131-4390) Protein with C-terminal 6×His tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q685J3
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-6×His tag
<b>Molecular Characterization</b>	MUC17(Arg4131-Leu4390) 6×His tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 30.1 kDa after removal of the signal peptide.
<b>Purity</b>	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	The protein encoded by this gene is a membrane-bound mucin that provides protection to gut epithelial cells. The encoded protein contains about 60 tandem repeats, with each repeat being around 60 aa. N-glycosylation enables the encoded protein to localize on the cell surface, while the C-terminus interacts with the scaffold protein PDZ domain containing 1 (PDZK1). Two transcript variants, one protein-coding and the other non-protein coding, have been found for this gene. [provided by RefSeq, Nov 2015]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated






Figure 1. Human MUC17(4131-4390) Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

