

## **PRODUCT INFORMATION**

Nectin-4 **Target** 

**Synonyms** LNIR; PRR4; EDSS1; PVRL4; NECTIN4

Recombinant human Nectin-4(32-147) Protein Description

with C-terminal human Fc tag

**Delivery** In Stock **Uniprot ID Q96NY8 Expression Host HEK293** 

Tag C-Human Fc tag

Molecular

**Molecular Weight** 

Reconstitution

**Background** 

Nectin-4(Gly32-Val147) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

38.7 kDa after removal of the signal peptide. The apparent molecular mass of Nectin-4(32-147)-hFc is approximately 35-55 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation &

8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the nectin family.

The encoded protein contains two

immunoglobulin-like (Ig-like) C2-type domains and one Ig-like V-type domain. It is involved in cell adhesion through trans-homophilic and -heterophilic interactions. It is a single-pass type I membrane protein. The soluble form is produced by proteolytic cleavage at the cell surface by the metalloproteinase ADAM17/TACE. The secreted form is found in both breast tumor cell lines and

breast tumor patients. Mutations in this gene are the cause of ectodermal dysplasia-syndactyly syndrome type 1, an autosomal recessive disorder. Alternatively spliced transcript variants

have been found but the full-length nature of the variant has not been determined.[provided by

> Email: info@dimabio.com Website: www.dimabio.com

RefSeq, Jan 2011]

Usage Research use only

Conjugate Unconjugated






Figure 1. Human Nectin-4(32-147) Protein, hFc Tag on SDS-PAGE under reducing condition.



